Wuhan Joho Technology Co., Ltd



Tel: + (86)27-6502 7980 Phone: + (86)131-5246 5800

Address: No.6, 3rd Road of Huagong Science

&Technology Zone, East Lake New Technology

Development District, Wuhan, China, 430074

JH640-1100 Long Range Thermal Security Camera

JH640-1100 thermal security camera is is equipped with top-end 640×512 high resolution MWIR cooled sensor and 110~1100mm continuous zoom lens, capable of clearly distinguish targets at long range. It is either to be used independently for long range surveillance or for border /coastal EO/IR system integration, featured with long range surveillance.

Technical specification

Detector	
Detector	Cooled FPA MCT
Resolution	640×512, 15 μ m
Spectral band	3.7∼4.8 µ m
NETD	25mk@25℃
Cooling	Stirling cooler
Cool down	8min @ 25℃
Lens	Onimi & 23 C
Lens	
Focus length	110mm~1100mm continuous zoom
F number	5.5
FOV	0.5°(H) ×0.4° (V) to 5°(H) ×4°(V)
Auto focus	Yes
Lens compensation	Yes
Lens compensation	100
Image Presentation	

Wuhan Joho Technology Co., Ltd



Tel: + (86)27-6502 7980 Phone: + (86)131-5246 5800

Address: No.6, 3rd Road of Huagong Science

&Technology Zone, East Lake New Technology

Development District, Wuhan, China, 430074

Video output	PAL	
Frame frequency	30Hz	
Digital video	CameraLink	
Brightness&Contrast	Auto/Manual	
Calibration	Manual/Background calibration	
Polarity	BH/WH	
E-zoom	×2, ×4	
Reticle display	ON/OFF	
Reticle position	Adjustable	
Image enhancement	Yes	
Image flip	Vertical/ horizontal	
Communication control	RS422	
Power specification		
Power supplY	DC24~32V (with power polarity protection)	
Power comsumption	Steady operation: ≤15W@25°C	
	Peak: ≤40W@25°C	
Environmental specification		
Operation temperature	-30°C~+55°C	
Storage temperature	-40℃~+70℃	
Vibration test	GJB150.16-86/MIL-STD-810F-514.5	
Shock test	GJB 150.18-96 /MIL-STD-810F-516.4	
High temperature test	GJB150.3-86/MIL-STD-810F-501.4	

Wuhan Joho Technology Co., Ltd



Tel: + (86)27-6502 7980 Phone: + (86)131-5246 5800

Address: No.6, 3rd Road of Huagong Science

&Technology Zone, East Lake New Technology

Development District, Wuhan, China, 430074

Low temperature test	GJB150.4-86/MIL-STD-810F-502.4	
Physical Specification		
Weight	≤20kg	
Dimension	633.2mm×134mm×252mm	
Color	Oxide black	

